



A History of Performance



Since 1985, we have been manufacturing pet doors at our facility in Bradenton, Florida. Throughout our history, our product development team has worked closely with extreme users to engineer a strong, safe, energy efficient and dependable product, designed for years of trouble free use.

Our mission was to design a door that could withstand the rigorous, day-to-day activities of professionally trained working dogs. A door that would survive in the extreme environments they work and live in. For this application, we designed the **BiteGuard KennelPlex™** commercial-use dog door.

Our clients include the United States Military, Border Patrol, DEA, K-9 Law enforcement units and boarding kennels throughout the world.

"The BiteGuard KennelPlex are basically bombproof."
Jeff Woods, Misty Pines Kennel – Sewickley, Pennsylvania >



Properly trained Police K-9 dogs can be the difference between taking control of a situation or one that can quickly spiral out of control. Mastering skills like protecting the officer, rescue and ground based tracking, locating drugs or evidence or building searches for felony intruders, can be critical to the safety of the operation.

This success begins with training in a safe, efficient environment. That's why professional training facilities around the world choose **BiteGuard KennelPlex™** commercial dog doors. Reliable and dependable, just like the elite canine students that attend.

Utilizing many of the same features and benefits engineered into the **BiteGuard KennelPlex™** Commercial Dog Doors, **PlexiDor®** is the trusted provider of pet doors for a loved one at your home.



Commercial Dog Doors



Photo provided by the City of Madison Police Department, K-9 Unit

Meet Officer Ivan

Born in Slovakia, Ivan now fights crime with the City of Madison Police Department K-9 Unit.



The choice of K-9, military, and commercial boarding kennels worldwide.



US Border Patrol



Canadian K-9 Police



UK Military



Swiss Mountain Rescue



United States Army



PlexiDors.com



PlexiDor marketing materials are available online:
Select **Media Resources** at **PlexiDors.com**



Table of Contents

A History of Performance	1
Table of Contents	2
A New Era of Innovation	3
Features and Benefits	4
PlexiDor Extra Large Door and Wall Series	5-6
PlexiDor Large Door and Wall Series	7-8
PlexiDor Medium Door and Wall Series	9-10
PlexiDor Small Door and Wall Series	11-12
PlexiDor Electronic Door and Wall Series	13-14
Energy Efficiency	15
Security Features	16
Accessories	17
Size Chart and Measuring Your Dog	18



For more than 25 years, we have manufactured PlexiDor Performance Pet Doors at our facility in Bradenton, Florida.

Throughout our company's history, our product development team has worked closely with pet owners around the World to design and engineer a strong, safe, energy efficient and dependable product designed for years of trouble free use.



PlexiDor Performance Pet Doors is an American Pet Association Approved Product

A New Era of Innovation



Never Purchase Replacement Flaps Again

PlexiDor Pet Doors do not require replacement flaps. The shatter resistant saloon style door panels are manufactured from K-9 COMPOSITE™/MC which is specially formulated to resist damage from sunlight, extreme temperatures and high impact. The door panels have been rigorously tested to withstand the harshest outdoor conditions.

Maximum Energy Efficiency

Each PlexiDor Pet Door is designed with features to help save energy. The K-9 COMPOSITE™/MC panels are lined with industrial grade weather seal around all four edges to reduce air conditioning and heat loss. So whether you live in the hot desert climate of Arizona or in the frigid cold of Alaska, PlexiDor will save you money every month. Your pet will love the quiet, smooth and safe doors and you'll love seeing a lower energy bill.

Added Security Features

PlexiDor Performance Pet Doors come with a lock, key and steel security plate. Simply turn the key to lock the door. When leaving for an extended period or while away on vacation, add the steel security plate. No other pet door provides the security of a PlexiDor Performance Pet Door.

Freedom and Peace of Mind

Your family will enjoy the freedom and peace of mind that a PlexiDor Performance Pet Door will provide. Like freedom from the worry of damage to your floors and carpets. Your pet will love the freedom to relieve themselves when they need to; while you are away at work during the day or without interruption in the evening when you are at home relaxing. Or, peace of mind knowing your pet will have safe and easy access to the outdoors and the added health benefits of fresh air and exercise.

Color Choices for Your Living Space

PlexiDor offers three elegant colors to compliment your home; Silver, White, or Bronze. White and Bronze frame finishes are baked on the interior and exterior frames for increased durability. A PlexiDor Pet Door is by far the most attractive pet door you will ever install in your home.

PlexiDor frame colors:
Bronze, Silver and White



PlexiDor **Features** and **Benefits**

Doors Open Fast and Close Tight

Large and small pets can use the same door. Panels open smoothly with a gentle push and close automatically. Heavy duty springs are concealed within the main frame. Doors close quietly without banging. Won't disturb you or frighten your pet.

Secure with Lock, Key and Security Plate


Keeps unwanted guests out of your home. Insert the key to lock or unlock the door. Apply the steel security plate when leaving for an extended period.

Maximum Energy Efficiency

The K-9 COMPOSITE™/MC panels are molded to form a "dual thermo-pane" for excellent insulation. Both panels are lined with high-density, nylon pile weather seal for superior draft-control. Doors close tight keeping the heating and cooling inside your home. Ideal for extreme climates.

Heavy Duty Aluminum Frames

Hardened aluminum interior and exterior frames won't rust, bend, crack, or warp. Choose from anodized silver, baked on white or bronze finish. Extremely durable and look great in your home.



K-9 COMPOSITE™/MC Door Panels



The shatter resistant saloon style door panels are manufactured with PlexiDor's exclusive **K-9 COMPOSITE™/MC**. The material is specially formulated to resist damage from sunlight, extreme temperatures and high impact.

PlexiDor® Performance Advantage

- ✓ Never purchase replacement flaps again
- ✓ Maximum energy efficiency saves money on your energy bill every month
- ✓ Secure with lock, key and steel security plate
- ✓ Peace of mind
- ✓ Freedom for both you and your pet
- ✓ Enjoy undisturbed sleep or uninterrupted family or TV time
- ✓ No more accidents or mess
- ✓ Manufactured in the USA




90 Day Money Back Guarantee

If you are not completely satisfied with your purchase, just return it to the dealer where you purchased it from and they will refund the purchase price in full. Shipping charges are non-refundable.

5 Year Residential Warranty

PlexiDor is covered by a 5 year limited residential warranty. Any defective part will be repaired or replaced without expense including standard shipping service for 5 years from date of purchase. Labor is not covered.

PD DOOR XL



White Finish

As seen from the interior of home.

Installation Specifications

Opening Dimensions	Cut Hole	Overall Dimensions
16"W x 23 3/4"H	18"W x 25"H	20 1/2"W x 26 3/4"H

Frame Colors: **White, Silver, Bronze**

 PD DOOR XL WH

 PD DOOR XL SV

 PD DOOR XL BR



PlexiDor **Extra Large Door**



Application: **Exterior Doors**

The door panels on the PlexiDor PD DOOR XL and PD WALL XL are manufactured using a solid 3/8 inch thick sheet of high impact acrylic instead of the thermo-pane panel design. This makes the panels virtually indestructible for larger dogs up to 220 pounds. Each panel comes equipped with factory installed chew proof aluminum trim around all four edges and on both sides of each panel.

The 1/2 inch wide aluminum trim prevents damage to the panels from chewing which sometimes occurs with larger dog breeds.





PlexiDor **Extra Large Wall**

Application: **Exterior Walls**

All PlexiDor Wall units can be installed into stud, brick, block or cement exterior walls up to 12 inches thick. Each wall unit includes an aluminum tunnel kit that connects the interior and exterior frame. The tunnel materials ensure a professional fit and finish that provides a quality appearance.

"I've had one of your extra-large PlexiDors for several years and I love it. After having had several other cheaper doors, this door is absolutely worth every penny."

Lewis Mills – Jefferson City, Missouri



Aluminum Tunnel

The bottom tunnel section is sloped to prevent water from entering. The tunnel will not rust, has no sharp edges and is easy to keep clean.

The PlexiDor **Extra Large** series accommodates dogs up to 220 pounds.

PD WALL XL



White Finish

Exterior frame pictured here with aluminum tunnel kit.

Installation Specifications

Opening Dimensions	Cut Hole	Overall Dimensions
16"W x 23 3/4" H	18 1/2"W x 26 1/2" H	20 1/2"W x 28 3/4" H

Frame Colors: **White, Silver, Bronze**

 PD WALL XL WH

 PD WALL XL SV

 PD WALL XL BR



PD DOOR LG



Silver Finish

As seen from the interior of home.



Installation Specifications

Opening Dimensions	Cut Hole	Overall Dimensions
11 3/4" W x 16" H	14 1/4" W x 17 3/4" H	16 1/2" W x 19 1/4" H

Frame Colors: **White, Silver, Bronze**

 PD DOOR LG WH

 PD DOOR LG SV

 PD DOOR LG BR



PlexiDor **Large Door**



Application: **Exterior Doors**

PlexiDor PD Door units can be installed in any type of standard household exterior door.

PlexiDor Pet Doors do not require replacement flaps. The saloon style, thermal-pane panels are engineered with K-9 COMPOSITE™/MC, a material specially formulated to resist damage from sunlight, extreme temperatures and impact. Door panels open with a gentle push and automatically close tight without banging. Our panel system has been rigorously tested to withstand the harshest outdoor conditions.

PlexiDor's exclusive K-9 COMPOSITE™/MC panels are lined with industrial grade weather seal around all four edges – top, bottom, left and right. The panels are designed to reduce air conditioning and heat loss.

So whether you live in the hot desert climate of Arizona or in the frigid cold of Alaska, PlexiDor will save you money every month. Your pet will love the smooth, quiet and safe doors and you'll love seeing a lower energy bill.

"The PlexiDor is terrific. I went through four flap style dog doors before I decided to spend the money and buy a PlexiDor. That was eight years ago and my size Large PlexiDor is still going strong despite the rough use my dogs give it daily. I just wish I had bought it sooner!"

Anthony Flowers – New Bloomington, Ohio

The PlexiDor **Large** series accommodates dogs up to 100 pounds.



PlexiDor **Large Wall**

Application: **Exterior Walls**

The PlexiDor PD WALL LG fits between studs 16 inches on center. Designed for exterior walls up to 12 inches thick, the tunnel kit can be cut to any length depending on the thickness of the wall. The bottom tunnel section is sloped to prevent water from entering.

The aluminum tunnel will never rust, has no sharp edges and is easy to keep clean.



PD WALL LG



Silver Finish

Exterior frame pictured here with aluminum tunnel kit.

Installation Specifications

Opening Dimensions	Cut Hole	Overall Dimensions
11 3/4" W x 16" H	14 1/2" W x 19" H	16 1/2" W x 21 1/4" H

Frame Colors: **White, Silver, Bronze**

- PD WALL LG WH
- PD WALL LG SV
- PD WALL LG BR



PD DOOR MD



Bronze Finish

As seen from the interior of home.



Installation Specifications

Opening Dimensions	Cut Hole	Overall Dimensions
9"W x 12"H	11 1/2"W x 13 1/2"H	13 3/4"W x 15 1/2"H

Frame Colors: **White, Silver, Bronze**

 PD DOOR MD WH

 PD DOOR MD SV

 PD DOOR MD BR



PlexiDor **Medium Door**



Application: **Exterior Doors**

Your family and your pet will enjoy the freedom and peace of mind that a PlexiDor Performance Pet Door will provide. Like freedom from the worry of damage to your floors and carpets. Or, peace of mind knowing your pet will have safe and easy access to the outdoors and the added health benefits of fresh air and exercise.





PlexiDor **Medium Wall**

Application: **Exterior Walls**

The PlexiDor PD WALL unit is the perfect solution when installation into an exterior door is not applicable. The PD WALL unit can be installed in a location that allows your pet access to the backyard using the patio or deck.

Your pet will love the freedom to relieve themselves when they need to; while you are away at work during the day or without interruption in the evening when you are at home relaxing.

"Though your PlexiDor comes with only a 5 year warranty, I want to let you know how good it is: 14 years with no problem! It was the right choice then, and I think it would be the right choice for anyone who buys a PlexiDor today."

Maureen O'Connell – North Redding, Massachusetts



The PlexiDor **Medium** series accommodates dogs up to 40 pounds.

PD WALL MD



Bronze Finish

Exterior frame pictured here with aluminum tunnel kit.

Installation Specifications

Opening Dimensions	Cut Hole	Overall Dimensions
9"W x 12"H	11 7/8"W x 15 1/4"H	13 3/4"W x 17 1/2"H

Frame Colors: **White, Silver, Bronze**

 PD WALL MD WH

 PD WALL MD SV

 PD WALL MD BR



PD DOOR SM



Silver Finish

As seen from the interior of home.



Installation Specifications

Opening Dimensions	Cut Hole	Overall Dimensions
6 1/2"W x 7 1/4"H	8 1/2"W x 8 1/2"H	10"W x 10"H

Frame Colors: **White, Silver, Bronze**

 PD DOOR SM WH

 PD DOOR SM SV

 PD DOOR SM BR



PlexiDor **Small Door**



Application: **Exterior Doors**

A single panel design, PD SMALL units open from left to right with precision smoothness. Even the smallest kitten or puppy can easily push open the door.

"Product is well made. There are no drafts and the cats like being able to see through the door."

RT "J.J." Ambassador – San Diego, California

All four edges of the K-9 COMPOSITE™/MC panels are equipped with the same industrial grade weather seal used on our larger series doors. This provides the highest level of energy efficiency compared to other small pet doors.

The spring loaded four-way lock can be set to IN-ONLY, OUT-ONLY, IN-AND-OUT or LOCKED. Simply turn the knob to select.

The PD SMALL units do not come with a steel security plate.

"I have had this pet door for 14 years, and it is still working like new. I have had to replace the seal around the panel door but it was easy to do and then it's back to new condition. I have had a couple of dogs and several cats that have used it on a daily basis."

Michael Arvizu – Houston, Texas

The PlexiDor **Small** series accommodates dogs up to 9 pounds and cats up to 24 pounds.



PlexiDor **Small Wall**

Application: **Exterior Walls**

The PlexiDor PD WALL SM is the perfect solution for smaller pets.

PD DOOR SM and PD WALL SM feature a K-9 COMPOSITE™/MC door panel equipped with the same industrial grade weather seal used on our larger series doors to ensure year round energy efficiency.

If living in a multi pet household, choose the PlexiDor sized for the largest pet. The panels open smoothly with a gentle push so large and small pets can use the same door or wall unit.

PD WALL SM



Silver Finish

Exterior frame pictured here with aluminum wall tunnel.

Installation Specifications

Opening Dimensions	Cut Hole	Overall Dimensions
6 1/2" W x 7 1/4" H	8 3/8" W x 10 1/8" H	10" W x 12" H

Frame Colors: **White, Silver, Bronze**

- PD WALL SM WH
- PD WALL SM SV
- PD WALL SM BR



PDE DOOR LG



**Bronze
Finish**

As seen
from the
interior
of the
home.

Installation Specifications

Opening Dimensions	Cut Hole	Overall Dimensions
12 3/4" W x 20" H	14 1/4" W x 21 1/2" H	17 1/8" W x 54 5/8" H

Frame Colors: **White** or **Bronze**

 PDE DOOR LG WH

 PDE DOOR LG BR



PlexiDor **Electronic Door**



Application: **Exterior Doors**

When the pet door application at your home requires the ultimate in convenience and security, the PlexiDor PDE Electronic Pet Door is the choice of pet owners Worldwide. The PDE hardened ABS panel slides effortlessly up and down like a mini electronic garage door. When the unit is inactive, the panel acts as a security door keeping out unwanted guests.

Using state-of-the-art RFID technology (Radio Frequency Identification Device), the sensor reads the pre-programmed collar key code and opens and closes the door automatically for your pet only, while keeping other animals outside.



PDE Features and Benefits

- Pet and child safe – won't close when obstructed
- Door is always securely locked with stainless steel rod when not active
- Collar Key opens and closes the door automatically for your pet only – no batteries required
- One touch programming, easy to add or change 1,000s of different codes
- Set the timing of how long the door remains open
- Won't interfere with underground fence or home security systems

Interior Dimensions: 17 1/8" W x 54 5/8" H

Exterior Dimensions: 17" W x 24" H



PlexiDor **Electronic Wall**

Application: **Exterior Walls**

The PDE WALL LG for dogs up to 125 pounds and all cats comes with the aluminum tunnel kit that is supplied with all PD WALL units.

Two PDE collar keys are included with each PDE unit. The collar key weighs just 0.4 ounces, is waterproof, does not require a battery and snaps onto your pet's collar. The door automatically reads the pre-programmed key code as your pet approaches and when recognized, opens and closes the door allowing access for your pet only. You can set the unit to control the timing of how long the door remains open.

The PlexiDor PDE Electronic Pet Door plugs into a standard household outlet or it can be hardwired. Easy to program and even easier to use, the PlexiDor Electronic Pet Door will provide years of enjoyment for your family and pet.



PDE Collar Key

"Our PlexiDor electronic dog door is the best purchase I've ever made – our labs love it. We are selling our house, and it's the first thing I put into the seller's disclosure to keep! The buyer wants the dog door so much that we had to agree to sell it with the house and buy another! I'm happy another dog gets to enjoy it."

Sarah Gantt – Dallas, Texas

The PlexiDor **Electronic** series accommodates dogs up to 125 pounds and all cats.

PDE WALL LG

White Finish

As seen from the interior of the home.



Installation Specifications

Opening Dimensions	Cut Hole	Overall Dimensions
12 3/4"W x 20"H	14 1/4"W x 23"H	17 1/8"W x 54 5/8"H

Frame Colors: **White** or **Bronze**


 PDE WALL LG WH

 PDE WALL LG BR



PlexiDor Energy Efficiency

Installing a PlexiDor Performance Pet Door into your home could save you as much as 10% off your energy bill.



Each time you open the door to let your dog out, your **HEATING** and **COOLING** escapes. Installing a PlexiDor can save you money every month. Review the chart below to determine your estimated annual savings.

Saving 10% per month could save you \$900 in just 5 years

Your Average Monthly Energy Bill:	Annual Amount Spent	5 Year Total	5% Savings	7% Savings	10% Savings*
\$100	\$1,200	\$6,000	\$300	\$420	\$600
\$150	\$1,800	\$9,000	\$450	\$630	\$900
\$200	\$2,400	\$12,000	\$600	\$840	\$1,200

* Average total savings in 5 years / 60 months



"Our life has been heaven and the reduction in air conditioning bills more than pays for itself in no time. I just can't say enough about how happy we are with the PlexiDor and all that's it done for our 'doggy' boys and us."

Charles and Bonnie Wallace
Weatherford, Texas

Energy savings figures are based on:

An average spring/summer temperature of between 80 and 100 degrees with a household cooling temperature of 72 degrees.

An average fall/winter temperature of between 32 and 45 degrees with a household temperature of 72 degrees.

Above results typical of PlexiDor owners and are based on 25+ years of Worldwide customer testimonials.

Actual results may vary based on household insulation, roof and window type, age and size of home.

"We love this door and so does our seven month old Cairn Terrier MacDuff. We really are impressed with how well the door seals itself. There is absolutely no draft. We have not found a product even closely comparable in Canada. This is truly an exceptional product and the best investment we have made! Thank you."


Val Berreth & Ian McIntosh
Calgary, Alberta, Canada



Steel Security Plate Installed

PlexiDor **Security Features**

Producing a safe and secure dog door for you and your family is our highest priority. Each door comes with a lock and key and added steel security plate making it virtually impossible for an intruder to enter your home.



Lock and Key

PlexiDor PD DOOR and PD WALL units come with a lock and two keys. The lock features a steel cam inside a hardened metal cylinder. Just turn the key to lock or unlock the door and keep unwanted guests from entering your home.

Steel Security Plate

The steel security plate is included with each PD DOOR or PD WALL unit and can be installed when leaving your home for an extended period. If using the security plate daily, purchase the **PlexiDor Sliding Track with Flip Lock** accessory for added convenience (see page 17).

PD DOOR SM and PD WALL SM units do not come with a steel security plate.

PlexiDor **Accessories**

PlexiDor Sliding Tracks with Flip Lock



The Steel Security Plate slides easily into place.

Whether you leave your home for an extended period or want added security every day, the PlexiDor Sliding Track accessory makes it easy. Simply attach the left and right tracks to the interior frame and slide the steel security plate down the track into place.

Sliding Tracks mounted to interior frame.


Secure the plate with the handy flip lock feature and you're finished. Tracks are made of strong, durable aluminum. Choose from Silver, White or Bronze for door sizes Medium Large and Extra Large.



Mounting hardware included, installs in minutes.

PlexiDor Pet Door Awning

The Pet Door Awning prevents rain, sun, snow and wind from entering through your PlexiDor pet door. This attractive, durable awning is made of aluminum with a baked-on finish. Available in three sizes for the PD DOOR, PD WALL, PDE DOOR and WALL units.



Awning sizes: **Small, Medium** and **Large/XL**.



Choose from **White** or **Bronze**.
Mounting hardware included.

The Flip Lock Feature





< Awning Specifications

Size	Item Number	Dimensions
Small	PD AWNING SM	12"W x 8"D
Medium	PD AWNING MD	16"W x 12"D
Large/XL	PD AWNING LG/XL	23 1/4"W x 8"D

Specify color: **White** or **Bronze**

Measuring Your Dog

Measuring your dog will help determine proper size and appropriate installation height.



The suggested measurements are a guide only. Make sure the pet door is installed so that the opening is at least 2" above the pet's back.

"I have had your PlexiDor for several years now. Here in Las Vegas our summer heat exceeds 115 degrees. In the summer, your doors allow the entry way to remain cool and keep the dust under control."

Michael Bialac – Las Vegas, Nevada

PlexiDor Size Chart

Selecting Your Pet Door




Size	Dog Weight	Opening Width	Opening Height	Breed Size Examples
Small	Dogs up to 9 Cats up to 24 pounds	6 ½ inches	7 ¼ inches	Cats, Chihuahuas, Pomeranians, Papillons, Yorkies, Maltese and Japanese Chins
Medium	Up to 40 pounds	9 inches	12 inches	Poodles, Corgis, Dachshunds, Beagles, Pekingese, Shelties, Schnauzers, Cocker Spaniels and most Terriers
Large	Up to 100 pounds	11 ¾ inches	16 inches	Labradors, German Shepherds, Golden Retrievers, Boxers, Collies, Setters, Bulldogs, Pointers and Dobermans
Extra Large	Up to 220 pounds	16 inches	23 ¾ inches	Great Danes, St. Bernards, Rottweilers, Old English Sheepdogs, Newfoundlands, Irish Wolfhounds and Great Pyrenees
Electronic	Up to 125 pounds	12 ¾ inches	20 inches	Large breed examples as listed including Malamutes, Weimaraners, Rhodesian Ridgebacks and all Cats

Installation Height

The suggested mounting distance from frame to floor.

These measurements are provided to help ensure a proper installation height based on the pet door size you have selected.

The distance shown is measured from the bottom of the frame to the floor.



Visual Merchandising for Your Store

PlexiDor Retail Display


The in-store display unit provides a dynamic representation of the PlexiDor Performance Pet Door product series. It is delivered to your store free-of-charge as part of our Dealer Starter Pack.

Features of the display include:

- ✓ A hands-on demonstration of the actual pet door
- ✓ The three frame colors: Bronze, Silver and White
- ✓ Light weight, easy to move and no removable parts
- ✓ Added merchandising opportunities for your store

Display Footprint

Width: 22.5 inches
 Depth: 14 inches
 Height: 57 inches
 Weight: 18 pounds



Contact your Distributor Sales Representative or call **PlexiDor Dealer Support** at: 941-752-7021 Ext. 206



PDUSA, Inc., 4523 30th Street West #E502, Bradenton, FL 34207 USA
 Toll-Free: 1-800-749-9609 Office: 941-752-7021 Fax: 941-758-0274

PlexiDors.com     

© 2014 PDUSA, Inc. All rights reserved. (2/14) Printed in USA. DC02
 PlexiDor Dealer Catalog – Specifications, appearance and features of items in this catalog may change without notice.

